

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 0 | 09/937644 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/02/01 22:02 |
| L2 | 0 | 600/584.ccls. and (superabsorbent with polymer with material) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:03 |
| L3 | 8 | 600/573-584.ccls. and (superabsorbent with polymer with material) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:05 |
| L5 | 7 | ("600"/\$.ccls. and "604"/\$.ccls.) and ((superabsorbent adj polymer) SAP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:24 |
| L6 | 7 | ("600"/\$.ccls. and "604"/\$.ccls.) and ((alter\$3 chang\$3) with composition with liquid) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:28 |
| L7 | 3 | ("600"/573-584.ccls.) and ((alter\$3 chang\$3) with composition with liquid) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:28 |
| L8 | 8 | ("604"/\$.ccls.) and (((alter\$3 chang\$3) with composition with liquid) same (sensor analysis)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:32 |
| L9 | 51 | ("604"/\$.ccls. "600"/\$.ccls.) and (absorbent same (gel\$3 convert\$ solidif\$) same (sensor analy\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:37 |
| L10 | 633 | ("604"/\$.ccls. "600"/\$.ccls.) and (absorbent same (gel\$3 convert\$ solidif\$)) and (separat\$3 waterproof) and (sensor analy\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:38 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L3 | 3 | "600"/\$.ccls. and (((catheter sheath) same ((opening recess hole slot) with sidewall)) same sensor) | USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/01 22:59 |
| L4 | 6 | "600"/\$.ccls. and (((catheter tube tubing pipe piping) same ((opening recess hole slot) with sidewall)) same sensor) | USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:01 |
| L6 | 0 | 10/126566 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:02 |
| L7 | 22 | "600"/\$.ccls. and millar.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:04 |
| L8 | 1 | "600"/\$.ccls. and (catheter same (tube with lumen)) and (catheter with (hole slot opening recess) with sidewall) and ((sensor transducer electrode) with (hole slot opening recess)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:09 |
| L9 | 33 | ("3277718" "3315201" "3417361" "3480003" "3550583" "3553625" "3710781" "3946724" "4023562" "4274423" "4665925" "4722348" "4771782" "4878898" "4941473" "5207103" "5306252" "5348481" "5352223" "5415178" "5431628" "5564434" "5688267" "5715827" "5993395" "6213943").PN. OR ("6394986"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/02/01 23:07 |
| L10 | 53 | "600"/\$.ccls. and (catheter same slot same (transducer sensor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:14 |
| L11 | 1 | "600"/\$.ccls. and (catheter same slot same carrier same (transducer sensor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:15 |
| L14 | 10 | "600"/\$.ccls. and (catheter same opening same carrier same (transducer sensor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:16 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L15 | 262 | "600"/\$.ccls. and ((pressure adj3 (transducer sensor)) same (catheter sheath cannula) same (opening hole slot)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/01 23:16 |
|-----|-----|---|---|----|----|------------------|